EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(meta$1data with (server$1 and client $1)) and san and (dmapi or (data with migrat$5 with interface$1)) and (hsm or (hierarchical with storage$1 with management$1)) and mirror$5 and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 16:04
L2	2	(meta$1data with (server$1 and client $1)) and san and (hsm or (hierarchical with storage$1 with management$1)) and mirror$5 and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 16:05
L3	0	2 and relocat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 16:05
L4	2	2 and ((relocat$4 or mov$4 or reposition$4 or transfer$4 or displac$4 or shuffl $4 or rearrang$4) same server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 16:05
S1	2	(("6058400") or ("6751616")).PN.	US-PGPUB; USPAT	OR	OFF	2007/12/26 11:16

S2	0	((releas$4 or free $4 or discharg$4 or liberat$4) with lock $4 with meta $1data with (relocat $4 or mov$4 or reposition$4 or transfer$4 or displac$4 or shuffl $4 or rearrang$4) with server$1) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:28
S3	1	((releas$4 or free $4 or discharg$4 or liberat$4) same lock $4 same meta $1data same (relocat$4 or mov $4 or reposition$4 or transfer$4 or displac$4 or shuffl $4 or rearrang$4) same server$1) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:30
S4	1	S3 and (file with system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:36
S5	0	S4 and san	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:36
S6	0	S5 and pointer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:36
S7	1	S4 and pointer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:37

S8	0	S7 and (private with data with chain $1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:37
S9	197	(private with data with chain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:38
S10	0	S9 and ((releas$4 or free$4 or discharg$4 or liberat$4) same lock $4 same meta $1data) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:38
S11	0	S9 and ((releas$4 or free$4 or discharg$4 or liberat$4) same lock $4) and meta $1data and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:39
S12	3	S9 and ((releas$4 or free$4 or discharg$4 or liberat$4) and lock $4) and meta $1data and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:39
S13	34	((releas$4 or free $4 or discharg$4 or liberat$4) same lock $4 same meta $1data) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 16:47
S14	18	((releas$4 or free $4 or discharg$4 or liberat$4) with lock $4 with meta $1data) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 16:47

S16	10	S14 and ((relocat$4 or mov$4 or reposition$4 or transfer$4 or displac$4 or shuffl$4 or rearrang$4) with meta$1data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 16:49
S17	4	S16 and (meta $1data with server $1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 16:49
S18	0	S17 and (data near9 chain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 16:50
S19	0	S17 and chain$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 16:50
S20	18	((releas$4 or free $4 or discharg$4 or liberat$4) with lock $4 with meta $1data) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:21
S21	16	S20 and ((relocat $4 or mov$4 or reposition$4 or transfer$4 or displac$4 or shuffl $4 or rearrang$4) same meta$1data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:21
S22	0	S21 and (dmapi or (data with migrat $5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:27
S23	1	S21 and migrat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:28

S24	13	(dmapi or (data with migration with application with programming with interface$1)) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:32
S25	1	S24 and meta $1data and server $1 and network$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:33
S26	0	S20 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:35
S27	0	((releas$4 or free $4 or discharg$4 or liberat$4) with lock $4 with meta $1data) and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:35
S28	0	((releas$4 or free $4 or discharg$4 or liberat$4) with lock $4) and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:35
S29	1	S24 and meta $1data and server $1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:36
S30	1	S24 and meta $1data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:42
S31	4	S24 and (san or (storage adj area adj network$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:46
S32	0	S31 and meta$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:46

S33	4	S31 and client$1 and server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:47
S34	0	S33 and metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:47
S35	4	S33 and migrat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:47
S36	1	(dmapi or (data with migration with application with programming with interface$1)) and meta$1data and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:51
S37	0	S36 and (san or (storage adj area adj network$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:51
S38	161	(san or (storage adj area adj network$4)) and (meta$1data with (client$1 and server $1)) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:53
S39	33	S38 and lock$4 and pointer$1 and node $1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:54
S40	1	S39 and chain$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:54
S41	0	S39 and (lock$4 with pointer$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:57

S42	4	S39 and (lock$4 same pointer$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 23:57
S43	160	(meta$1data with (client$1 and server $1)) and (san or (storage adj area adj network$1)) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 17:54
S44	74	S43 and lock$4 and file$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 17:55
S45	3	S44 and (dmapi or (data with migrat $5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 17:55
S46	0	(dmapi or (data adj migration adj (api or (application adj programming adj interface$1)))) and @ad < "20010605" and (meta$1data near5 server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 18:14
S47	0	(dmapi or (data adj migration adj (api or (application adj programming adj interface$1)))) and @ad < "20010605" and (meta$1data with server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 18:14
S48	0	(dmapi or (data with migration with (api or (application adj programming adj interface$1)))) and @ad < "20010605" and (meta$1data with server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 18:14

S49	1	(dmapi or (data with migration with (api or (application adj programming adj interface$1)))) and @ad < "20010605" and (meta$1data same server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 18:15
S50	9	(lock$4 with meta $1data) and ((releas$5 or free $4 or discharg$4 or liberat$4) with meta $1data) and (meta $1data with (tree $1 or director$3 or hierarch$5)) and (meta$1data with (relocat$4 or mov $4 or reposition$4 or transfer$4 or displac$4 or shuffl $4 or rearrang$4)) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/25 18:52
S51	9	S50 and (point$5 or link$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/25 18:52
S52	9	S51 and (meta $1data with (server $1 or database$1 or repositor$3 or storage$1 or container$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/25 18:53
S53	9	S52 and (run$5 or execut$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/25 18:54
S54	8	S53 and (meta $1data with (relocat $4 or mov$4 or reposition$4 or transfer$4 or displac$4 or shuffl $4 or rearrang$4) with server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/25 19:29

S55	9	(lock$4 with meta$1data) and ((releas$5 or free$4 or discharg$4 or liberat$4) with meta$1data) and (meta$1data with (tree$1 or director$3 or hierarch$5)) and (meta$1data with (relocat$4 or mov$4 or reposition$4 or transfer$4 or displac$4 or shuffl$4 or rearrang$4)) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 12:04
S56	9	S55 and (point$5 or link$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 12:04
S57	9	S56 and (meta$1data with (server$1 or database$1 or repositor$3 or storage$1 or container$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 12:04
S58	9	S57 and (run$5 or execut$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 12:04
S59	0	S58 and (meta$1data with (relocat$4 or reposition$4 or rearrang$4) with server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 12:04

S60	0	(lock$4 with meta $1data) and (((releas$5 or free $4 or discharg$4 or liberat$4) with meta $1data) and (meta $1data with (tree $1 or director$3 or hierarch$5)) and (meta$1data with (relocat$4 or reposition$4 or rearrang$4) with server$1) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 12:05
S61	0	(lock$4 with meta $1data) and (meta $1data with (relocat $4 or reposition$4 or rearrang$4) with server$1) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 12:05
S62	3	(meta$1data with (relocat$4 or reposition$4 or rearrang$4) with server$1) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 12:06
S63	0	S62 and (lock$4 with meta$1data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 12:06
S64	0	S62 and (lock$4 same meta$1data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 12:06
S65	1	S62 and lock$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 12:06
S66	3	(meta$1data with relocat$4 with server$1) and @ad < "20010605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/26 12:11

9/26/09 4:27:11 PM
C:\ Documents and Settings\ LBlack1\ My Documents\ EAST\ Workspaces\ 10620387.wsp